

agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 15:48:32 ON 07 MAR 2006

=> file caplus uspatfull japiro epfull medline biosis embase scisearch
COST IN U.S. DOLLARS SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST 0.21 0.21

FILE 'CAPLUS' ENTERED AT 15:49:03 ON 07 MAR 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPATFULL' ENTERED AT 15:49:03 ON 07 MAR 2006
CA INDEXING COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'JAPIO' ENTERED AT 15:49:03 ON 07 MAR 2006
COPYRIGHT (C) 2006 Japanese Patent Office (JPO) - JAPIO

FILE 'EPFULL' ENTERED AT 15:49:03 ON 07 MAR 2006
COPYRIGHT (C) 2006 European Patent Office / FIZ Karlsruhe

FILE 'MEDLINE' ENTERED AT 15:49:03 ON 07 MAR 2006

FILE 'BIOSIS' ENTERED AT 15:49:03 ON 07 MAR 2006
Copyright (c) 2006 The Thomson Corporation

FILE 'EMBASE' ENTERED AT 15:49:03 ON 07 MAR 2006
Copyright (c) 2006 Elsevier B.V. All rights reserved.

FILE 'SCISEARCH' ENTERED AT 15:49:03 ON 07 MAR 2006
Copyright (c) 2006 The Thomson Corporation

=> s (drug delivery) and metal? and coat?
3 FILES SEARCHED...

=> s 11 and ((multiple layer?) or multilayer?)

L3 243 L2 AND STENT

L4 121 L3 AND COMPOSITE

L5 31 L4 AND (ELECTROLY? OR ELECTROCHEMI?)

7-615-1-31 1915 add

ES ANSWER 1 OF 31 USPATFULL OR SIN
ACCESSION NUMBER: 2005:319275 USPATFULL
TITLE: Medical device
INVENTOR(S): Wang, Xingwu, Wellsville, NY, UNITED STATES
Greenwald, Howard J., Rochester, NY, UNITED STATES

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptau153cxa

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * Welcome to STN International * * * * * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 DEC 05 CASREACT(R) - Over 10 million reactions available
NEWS 4 DEC 14 2006 MeSH terms loaded in MEDLINE/LMEDLINE
NEWS 5 DEC 14 2006 MeSH terms loaded for MEDLINE file segment of TOXCENTER
NEWS 6 DEC 14 CA/CAplus to be enhanced with updated IPC codes
NEWS 7 DEC 21 IPC search and display fields enhanced in CA/CAplus with the
IPC reform
NEWS 8 DEC 23 New IPC8 SEARCH, DISPLAY, and SELECT fields in USPATFULL/
USPAT2
NEWS 9 JAN 13 IPC 8 searching in IFIPAT, IFIUDB, and IFICDB
NEWS 10 JAN 13 New IPC 8 SEARCH, DISPLAY, and SELECT enhancements added to
INPADOC
NEWS 11 JAN 17 Pre-1988 INPI data added to MARPAT
NEWS 12 JAN 17 IPC 8 in the WPI family of databases including WPIFV
NEWS 13 JAN 30 Saved answer limit increased
NEWS 14 JAN 31 Monthly current-awareness alert (SDI) frequency
added to TULSA
NEWS 15 FEB 21 STN AnaVist, Version 1.1, lets you share your STN AnaVist
visualization results
NEWS 16 FEB 22 Status of current WO (PCT) information on STN
NEWS 17 FEB 22 The IPC thesaurus added to additional patent databases on STN
NEWS 18 FEB 22 Updates in EPFULL; IPC 8 enhancements added
NEWS 19 FEB 27 New STN AnaVist pricing effective March 1, 2006
NEWS 20 FEB 28 MEDLINE/LMEDLINE reload improves functionality
NEWS 21 FEB 28 TOXCENTER reloaded with enhancements
NEWS 22 FEB 28 REGISTRY/ZREGISTRY enhanced with more experimental spectral
property data
NEWS 23 MAR 01 INSPEC reloaded and enhanced
NEWS 24 MAR 03 Updates in PATDPA; addition of IPC 8 data without attributes

NEWS EXPRESS FEBRUARY 15 CURRENT VERSION FOR WINDOWS IS V8.01a,
CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005.
V8.0 AND V8.01 USERS CAN OBTAIN THE UPGRADE TO V8.01a AT
<http://download.cas.org/express/v8.0-Discover/>

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005278020	A1	20051215
APPLICATION INFO.:	US 2005-136630	A1	20050524 (11)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 2005-85726, filed on 21 Mar 2005, PENDING Continuation-in-part of Ser. No. US 2004-887521, filed on 7 Jul 2004, PENDING Continuation-in-part of Ser. No. US 2004-867517, filed on 14 Jun 2004, PENDING Continuation-in-part of Ser. No. US 2004-810916, filed on 26 Mar 2004, GRANTED, Pat. No. US 6846985 Continuation-in-part of Ser. No. US 2004-808618, filed on 24 Mar 2004, PENDING Continuation-in-part of Ser. No. US 2004-786198, filed on 25 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2004-780045, filed on 17 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2003-747472, filed on 29 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-744543, filed on 22 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-442420, filed on 21 May 2003, GRANTED, Pat. No. US 6914412 Continuation-in-part of Ser. No. US 2003-409505, filed on 8 Apr 2003, GRANTED, Pat. No. US 6815609		

DOCUMENT TYPE:

FILE SEGMENT:

LEGAL REPRESENTATIVE:

HOWARD J. GREENWALD P.C., 349 W. COMMERCIAL STREET
SUITE 2490, EAST ROCHESTER, NY, 14445-2408, US

NUMBER OF CLAIMS:

27

EXEMPLARY CLAIM:

1

NUMBER OF DRAWINGS:

66 Drawing Page(s)

LINE COUNT:

5784

AB An implantable medical device comprised of a lumen. When the device is, at different points in time, exposed to two different radio frequency electromagnetic radiations, one of whose frequencies differs from the other by a factor of at least 1.5, at least 90 percent of each of the radio frequency electromagnetic radiations penetrates to the lumen of the device.

L5 ANSWER 2 OF 31 USPATFULL on STN

ACCESSION NUMBER: 2005:300093 USPATFULL

TITLE: Medical device

INVENTOR(S): Wang, Xingwu, Wellsville, NY, UNITED STATES

Greenwald, Howard J., Rochester, NY, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005261763	A1	20051124
APPLICATION INFO.:	US 2005-133768	A1	20050520 (11)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 2005-115886, filed on 27 Apr 2005, PENDING Continuation-in-part of Ser. No. US 2005-85726, filed on 21 Mar 2005, PENDING Continuation-in-part of Ser. No. US 2004-887521, filed on 7 Jul 2004, PENDING Continuation-in-part of Ser. No. US 2004-867517, filed on 14 Jun 2004, PENDING Continuation-in-part of Ser. No. US 2004-810916, filed on 26 Mar 2004, GRANTED, Pat. No. US 6846985 Continuation-in-part of Ser. No. US 2004-808618, filed on 24 Mar 2004, PENDING Continuation-in-part of Ser. No. US 2004-786198, filed on 25 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2004-780045, filed on 17 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2003-747472, filed on 29 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-744543, filed		

on 22 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-442420, filed on 21 May 2003, GRANTED, Pat. No. US 6914412 Continuation-in-part of Ser. No. US 2003-409505, filed on 8 Apr 2003, GRANTED, Pat. No. US 6815609

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: HOWARD J. GREENWALD P.C., 349 W. COMMERCIAL STREET SUITE 2490, EAST ROCHESTER, NY, 14445-2408, US
NUMBER OF CLAIMS: 28
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 62 Drawing Page(s)
LINE COUNT: 5671

AB An implantable medical device comprised of a lumen with a volume of from about 1+10.sup.-7 cubic meters to 1+10.sup.-5 cubic meters wherein, when said device is exposed to radio frequency electromagnetic radiation with a frequency of from 10 megahertz to about 200 megahertz, at least 90 percent of the electromagnetic radiation penetrates to the lumen of the device, and the concentration of the electromagnetic radiation that penetrates to the lumen of the device is substantially identical at different points within such lumen.

L5 ANSWER 3 OF 31 USPATFULL on STN
ACCESSION NUMBER: 2005:300090 USPATFULL
TITLE: Medical devices and methods of making the same
INVENTOR(S): Weber, Jan, Maple Grove, MN, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005261760	A1	20051124
APPLICATION INFO.:	US 2005-127968	A1	20050512 (11)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 2004-985242, filed on 10 Nov 2004, PENDING Continuation-in-part of Ser. No. US 2004-849742, filed on 20 May 2004, PENDING		
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	APPLICATION		
LEGAL REPRESENTATIVE:	FISH & RICHARDSON PC, P.O. BOX 1022, MINNEAPOLIS, MN, 55440-1022, US		
NUMBER OF CLAIMS:	45		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	3 Drawing Page(s)		
LINE COUNT:	1317		

AB Medical devices, such as endoprostheses, and methods of making the devices are described. In some embodiments, the invention features a medical device including a generally tubular body including a biodisintegrable material, and a polyelectrolyte on the generally tubular body. The polyelectrolyte can be used to delay and/or slow the disintegration of the biodisintegrable material.

L5 ANSWER 4 OF 31 USPATFULL on STN
ACCESSION NUMBER: 2005:280395 USPATFULL
TITLE: Medical device with a marker
INVENTOR(S): Wang, Xingwu, Wellsville, NY, UNITED STATES
Greenwald, Howard J., Rochester, NY, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005244337	A1	20051103
APPLICATION INFO.:	US 2005-115886	A1	20050427 (11)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 2005-85726, filed on 21 Mar 2005, PENDING Continuation-in-part of Ser.		

NO. US 2004-887521, filed on 7 Jul 2004, PENDING
Continuation-in-part of Ser. No. US 2004-867517, filed
on 14 Jun 2004, PENDING Continuation-in-part of Ser.
No. US 2004-810916, filed on 26 Mar 2004, GRANTED, Pat.
No. US 6846985 Continuation-in-part of Ser. No. US
2004-808618, filed on 24 Mar 2004, PENDING
Continuation-in-part of Ser. No. US 2004-786198, filed
on 25 Feb 2004, PENDING Continuation-in-part of Ser.
No. US 2004-780045, filed on 17 Feb 2004, PENDING
Continuation-in-part of Ser. No. US 2003-747472, filed
on 29 Dec 2003, PENDING Continuation-in-part of Ser.
No. US 2003-744543, filed on 22 Dec 2003, PENDING
Continuation-in-part of Ser. No. US 2003-442420, filed
on 21 May 2003, GRANTED, Pat. No. US 6914412
Continuation-in-part of Ser. No. US 2003-409505, filed
on 8 Apr 2003, GRANTED, Pat. No. US 6815609

DOCUMENT TYPE:

FILE SEGMENT:

LEGAL REPRESENTATIVE:

NUMBER OF CLAIMS:

Utility

APPLICATION

HOWARD J. GREENWALD P.C., 349 W. COMMERCIAL STREET
SUITE 2490, EAST ROCHESTER, NY, 14445-2408, US

EXEMPLARY CLAIM:

14

NUMBER OF DRAWINGS:

1

62 Drawing Page(s)

LINE COUNT:

5423

AB A contrast-enhancing agent that has a saturation magnetization of at least 1.5 Tesla and that, when contacted with MRI radiation, provides a first gray scale response that is substantially uniform and that has a resolution of at least about 1 millimeter. When the contrast-enhancing agent is repeatedly contacted with said MRI radiation over a period of at least one year, it will repeatedly produce gray scale responses which are substantially identical to the first gray scale response.

L5 ANSWER 5 OF 31 USPATFULL on STN

ACCESSION NUMBER: 2005:275535 USPATFULL

TITLE: MRI imageable medical device

INVENTOR(S): Wang, Xingwu, Wellsville, NY, UNITED STATES

Greenwald, Howard J., Rochester, NY, UNITED STATES

NUMBER	KIND	DATE
--------	------	------

PATENT INFORMATION:

US 2005240100 A1 20051027

APPLICATION INFO.:

US 2005-85726 A1 20050321 (11)

RELATED APPLN. INFO.:

Continuation-in-part of Ser. No. US 2004-887521, filed
on 7 Jul 2004, PENDING Continuation-in-part of Ser. No.
US 2004-867517, filed on 14 Jun 2004, PENDING
Continuation-in-part of Ser. No. US 2004-810916, filed
on 26 Mar 2004, GRANTED, Pat. No. US 6846985
Continuation-in-part of Ser. No. US 2004-808618, filed
on 24 Mar 2004, PENDING Continuation-in-part of Ser.
No. US 2004-786198, filed on 25 Feb 2004, PENDING
Continuation-in-part of Ser. No. US 2004-780045, filed
on 17 Feb 2004, PENDING Continuation-in-part of Ser.
No. US 2003-747472, filed on 29 Dec 2003, PENDING
Continuation-in-part of Ser. No. US 2003-744543, filed
on 22 Dec 2003, PENDING Continuation-in-part of Ser.
No. US 2003-442420, filed on 21 May 2003, GRANTED, Pat.
No. US 6914412 Continuation-in-part of Ser. No. US
2003-409505, filed on 8 Apr 2003, GRANTED, Pat. No. US
6815609

DOCUMENT TYPE:

Utility

FILE SEGMENT:

APPLICATION

LEGAL REPRESENTATIVE:

HOWARD J. GREENWALD P.C., 349 W. COMMERCIAL STREET

SUITE 2490, EAST ROCHESTER, NY, 14445-2408, US
NUMBER OF CLAIMS: 55
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 59 Drawing Page(s)
LINE COUNT: 5688

AB A **coated** assembly with an inductance of from about 0.1 to about 5 nanohenries and a capacitance of from about 0.1 to about 10 nanofarads. The **coated** assembly contains a **stent** and a **coating**. When the assembly is exposed to radio frequency electromagnetic radiation with a frequency of from 10 megahertz to about 200 megahertz, at least 90 percent of the electromagnetic radiation penetrates to the interior of the **stent**.

L5 ANSWER 6 OF 31 USPATFULL on STN
ACCESSION NUMBER: 2005:248875 USPATFULL
TITLE: Materials and devices of enhanced electromagnetic transparency
INVENTOR(S): Wang, Xingwu, Wellsville, NY, UNITED STATES
Greenwald, Howard J., Rochester, NY, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005216075	A1	20050929
APPLICATION INFO.:	US 2005-45790	A1	20050128 (11)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 2004-974412, filed on 27 Oct 2004, PENDING Continuation-in-part of Ser. No. US 2005-29187, filed on 4 Jan 2005, PENDING Continuation-in-part of Ser. No. US 2004-923579, filed on 20 Aug 2004, PENDING Continuation-in-part of Ser. No. US 2004-914691, filed on 9 Aug 2004, PENDING Continuation-in-part of Ser. No. US 2004-887521, filed on 7 Jul 2004, PENDING Continuation-in-part of Ser. No. US 2004-867517, filed on 14 Jun 2004, PENDING Continuation-in-part of Ser. No. US 2004-810916, filed on 26 Mar 2004, GRANTED, Pat. No. US 6846985 Continuation-in-part of Ser. No. US 2004-808618, filed on 24 Mar 2004, PENDING Continuation-in-part of Ser. No. US 2004-786198, filed on 25 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2004-780045, filed on 17 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2003-747472, filed on 29 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-744543, filed on 22 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-442420, filed on 21 May 2003, GRANTED, Pat. No. US 6914412 Continuation-in-part of Ser. No. US 2003-409505, filed on 8 Apr 2003, GRANTED, Pat. No. US 6815609		

	NUMBER	DATE
PRIORITY INFORMATION:	US 2004-559555P	20040405 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	HOWARD J. GREENWALD P.C., 349 W. COMMERCIAL STREET SUITE 2490, EAST ROCHESTER, NY, 14445-2408, US	
NUMBER OF CLAIMS:	33	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	24 Drawing Page(s)	
LINE COUNT:	10297	

AB Materials, devices and methods are described for making and using devices of enhanced electromagnetic transparency. Desirable embodiments include for example, nanomagnetic compositions that provide series

and/or parallel resonances that act to diminish induced current and/or voltage in devices and thereby alter electromagnetic penetration. Devices, including medical implants, such as stents, may be formed or modified in a variety of protective conformations. Such conformations include, for example, the addition or formulation with layer(s) of protective material or with discrete components such as multiple capacitors and inductors.

L5 ANSWER 7 OF 31 USPATFULL on STN
ACCESSION NUMBER: 2005:240095 USPATFULL
TITLE: Polymer compositions and methods for their use
INVENTOR(S): Hunter, William L., Vancouver, CANADA
Toleikis, Philip M., Vancouver, CANADA
Gravett, David M., Vancouver, CANADA
Maiti, Arpita, Vancouver, CANADA
Liggins, Richard T., Coquitlam, CANADA
Takacs-Cox, Aniko, North Vancouver, CANADA
Avelar, Rui, Vancouver, CANADA
Loss, Troy A. E., North Vancouver, CANADA
PATENT ASSIGNEE(S): Angiotech International AG, Zug, SWITZERLAND (non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005208095	A1	20050922
APPLICATION INFO.:	US 2004-996354	A1	20041122 (10)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 2004-986231, filed on 10 Nov 2004, PENDING		

	NUMBER	DATE
PRIORITY INFORMATION:	US 2004-586861P	20040709 (60)
	US 2004-566569P	20040428 (60)
	US 2003-526541P	20031203 (60)
	US 2003-525226P	20031124 (60)
	US 2003-523908P	20031120 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	SEED INTELLECTUAL PROPERTY LAW GROUP PLLC, 701 FIFTH AVENUE, SUITE 6300, SEATTLE, WA, 98104-7092, US	
NUMBER OF CLAIMS:	101	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	32 Drawing Page(s)	
LINE COUNT:	34089	
CAS INDEXING IS AVAILABLE FOR THIS PATENT.		
AB	Compositions comprising anti-fibrotic agent(s) and/or polymeric compositions can be used in various medical applications including the prevention of surgical adhesions, treatment of inflammatory arthritis, treatment of scars and keloids, the treatment of vascular disease, and the prevention of cartilage loss.	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 8 OF 31 USPATFULL on STN
ACCESSION NUMBER: 2005:226572 USPATFULL
TITLE: Polymer compositions and methods for their use
INVENTOR(S): Hunter, William L., Vancouver, CANADA
Toleikis, Philip M., Vancouver, CANADA
Gravett, David M., Vancouver, CANADA
Maiti, Arpita, Vancouver, CANADA
Liggins, Richard T., Coquitlam, CANADA
Takacs-Cox, Aniko, North Vancouver, CANADA

PATENT ASSIGNEE(S) :
Avelar, Rui, Vancouver, CANADA
Loss, Troy A E., North Vancouver, CANADA
Angiotech International AG, Zug, SWITZERLAND (non-U.S.
corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005196421	A1	20050908
APPLICATION INFO.:	US 2004-1417	A1	20041201 (11)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 2004-996354, filed on 22 Nov 2004, PENDING Continuation-in-part of Ser. No. US 2004-986231, filed on 10 Nov 2004, PENDING		

	NUMBER	DATE
PRIORITY INFORMATION:	US 2004-611077P	20040917 (60)
	US 2004-586861P	20040709 (60)
	US 2004-566569P	20040428 (60)
	US 2003-526541P	20031203 (60)
	US 2003-525226P	20031124 (60)
	US 2003-523908P	20031120 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	SEED INTELLECTUAL PROPERTY LAW GROUP PLLC, 701 FIFTH AVENUE, SUITE 6300, SEATTLE, WA, 98104-7092, US	
NUMBER OF CLAIMS:	100	
EXEMPLARY CLAIM:	1-7300	
NUMBER OF DRAWINGS:	32 Drawing Page(s)	
LINE COUNT:	34222	
CAS INDEXING IS AVAILABLE FOR THIS PATENT.		
AB	Compositions comprising anti-fibrotic agent(s) and/or polymeric compositions can be used in various medical applications including the prevention of surgical adhesions, treatment of inflammatory arthritis, treatment of scars and keloids, the treatment of vascular disease, and the prevention of cartilage loss.	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 9 OF 31 USPATFULL on STN
ACCESSION NUMBER: 2005:215464 USPATFULL
TITLE: Polymer compositions and methods for their use
INVENTOR(S): Hunter, William L., Vancouver, CANADA
Toleikis, Philip M., Vancouver, CANADA
Gravett, David M., Vancouver, CANADA
Maiti, Arpita, Vancouver, CANADA
Liggins, Richard T., Coquitlam, CANADA
Takacs-Cox, Aniko, North Vancouver, CANADA
Avelar, Rui, Vancouver, CANADA
Loss, Troy A. E., North Vancouver, CANADA
Angiotech International AG, Zug, SWITZERLAND (non-U.S.
corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005187140	A1	20050825
APPLICATION INFO.:	US 2004-408	A1	20041129 (11)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 2004-996354, filed on 22 Nov 2004, PENDING Continuation-in-part of Ser. No. US 2004-986231, filed on 10 Nov 2004, PENDING		

	NUMBER	DATE
PRIORITY INFORMATION:	US 2004-586861P	20040709 (60)

US 2004-566569P 20040428 (60)
US 2004-611077P 20040917 (60)
US 2003-526541P 20031203 (60)
US 2003-525226P 20031124 (60)
US 2003-523908P 20031120 (60)

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: SEED INTELLECTUAL PROPERTY LAW GROUP PLLC, 701 FIFTH AVENUE, SUITE 6300, SEATTLE, WA, 98104-7092, US
NUMBER OF CLAIMS: 103
EXEMPLARY CLAIM: 1-5846
NUMBER OF DRAWINGS: 32 Drawing Page(s)
LINE COUNT: 34103
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
AB Compositions comprising anti-fibrotic agent(s) and/or polymeric compositions can be used in various medical applications including the prevention of surgical adhesions, treatment of inflammatory arthritis, treatment of scars and keloids, the treatment of vascular disease, and the prevention of cartilage loss.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 10 OF 31 USPATFULL on STN
ACCESSION NUMBER: 2005:214572 USPATFULL
TITLE: Polymer compositions and methods for their use
INVENTOR(S): Hunter, William L., Vancouver, CANADA
 Toleikis, Philip M., Vancouver, CANADA
 Gravett, David M., Vancouver, CANADA
 Maiti, Arpita, Vancouver, CANADA
 Liggins, Richard T., Coquitlam, CANADA
 Takacs-Cox, Aniko, North Vancouver, CANADA
 Avelar, Rui, Vancouver, CANADA
 Loss, Troy A. E., North Vancouver, CANADA
PATENT ASSIGNEE(S): Angiotech International AG, Zug, SWITZERLAND (non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005186244	A1	20050825
APPLICATION INFO.:	US 2004-1790	A1	20041202 (11)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 2004-996354, filed on 22 Nov 2004, PENDING Continuation-in-part of Ser. No. US 2004-986231, filed on 10 Nov 2004, PENDING		

	NUMBER	DATE
PRIORITY INFORMATION:	US 2004-611077P	20040917 (60)
	US 2004-586861P	20040709 (60)
	US 2004-566569P	20040428 (60)
	US 2003-526541P	20031203 (60)
	US 2003-525226P	20031124 (60)
	US 2003-523908P	20031120 (60)

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: SEED INTELLECTUAL PROPERTY LAW GROUP PLLC, 701 FIFTH AVENUE, SUITE 6300, SEATTLE, WA, 98104-7092, US
NUMBER OF CLAIMS: 103
EXEMPLARY CLAIM: 1-8540
NUMBER OF DRAWINGS: 32 Drawing Page(s)
LINE COUNT: 34060
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Compositions comprising anti-fibrotic agent(s) and/or polymeric compositions can be used in various medical applications including the

prevention of surgical adhesions, treatment of inflammatory arthritis, treatment of scars and keloids, the treatment of vascular disease, and the prevention of cartilage loss.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 11 OF 31 USPATFULL on STN

ACCESSION NUMBER: 2005:212068 USPATFULL
TITLE: Polymer compositions and methods for their use
INVENTOR(S): Hunter, William L., Vancouver, CANADA
 Toleikis, Philip M., Vancouver, CANADA
 Gravett, David M., Vancouver, CANADA
 Maiti, Arpita, Vancouver, CANADA
 Liggins, Richard T., Coquitlam, CANADA
 Takacs-Cox, Aniko, North Vancouver, CANADA
 Avelar, Rui, Vancouver, CANADA
 Loss, Troy A.E., North Vancouver, CANADA
PATENT ASSIGNEE(S): Angiotech International AG, Zug, SWITZERLAND (non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005183731	A1	20050825
APPLICATION INFO.:	US 2004-6908	A1	20041207 (11)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 2004-996354, filed on 22 Nov 2004, PENDING Continuation-in-part of Ser. No. US 2004-986231, filed on 10 Nov 2004, PENDING		

	NUMBER	DATE
PRIORITY INFORMATION:	US 2004-611077P	20040917 (60)
	US 2004-586861P	20040709 (60)
	US 2004-566569P	20040428 (60)
	US 2003-526541P	20031203 (60)
	US 2003-525226P	20031124 (60)
	US 2003-523908P	20031120 (60)

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: SEED INTELLECTUAL PROPERTY LAW GROUP PLLC, 701 FIFTH AVENUE, SUITE 6300, SEATTLE, WA, 98104-7092, US

NUMBER OF CLAIMS: 52
EXEMPLARY CLAIM: 1-8061
NUMBER OF DRAWINGS: 32 Drawing Page(s)
LINE COUNT: 34032

AB Compositions comprising anti-fibrotic agent(s) and/or polymeric compositions can be used in various medical applications including the prevention of surgical adhesions, treatment of inflammatory arthritis, treatment of scars and keloids, the treatment of vascular disease, and the prevention of cartilage loss.

L5 ANSWER 12 OF 31 USPATFULL on STN

ACCESSION NUMBER: 2005:209997 USPATFULL
TITLE: MRI imageable medical device
INVENTOR(S): Wang, Xingwu, Wellsville, NY, UNITED STATES
 Greenwald, Howard J., Rochester, NY, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005182482	A1	20050818
APPLICATION INFO.:	US 2005-94946	A1	20050331 (11)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 2004-887521, filed on 7 Jul 2004, PENDING Continuation-in-part of Ser. No.		

US 2004-867517, filed on 14 Jun 2004, PENDING
Continuation-in-part of Ser. No. US 2004-810916, filed
on 26 Mar 2004, GRANTED, Pat. No. US 6846985
Continuation-in-part of Ser. No. US 2004-808618, filed
on 24 Mar 2004, PENDING Continuation-in-part of Ser.
No. US 2004-786198, filed on 25 Feb 2004, PENDING
Continuation-in-part of Ser. No. US 2004-780045, filed
on 17 Feb 2004, PENDING Continuation-in-part of Ser.
No. US 2003-747472, filed on 29 Dec 2003, PENDING
Continuation-in-part of Ser. No. US 2003-744543, filed
on 22 Dec 2003, PENDING Continuation-in-part of Ser.
No. US 2003-442420, filed on 21 May 2003, GRANTED, Pat.
No. US 6914412 Continuation-in-part of Ser. No. US
2003-409505, filed on 8 Apr 2003, GRANTED, Pat. No. US
6815609

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: HOWARD J. GREENWALD P.C., 349 W. COMMERCIAL STREET
SUITE 2490, EAST ROCHESTER, NY, 14445-2408, US
NUMBER OF CLAIMS: 57
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 63 Drawing Page(s)
LINE COUNT: 5989
AB A medical device comprised of a **coating** that inhibits distortion of medical resonance images taken of the device. When the device is exposed to radio frequency electromagnetic radiation with a frequency of from 10 megahertz to about 200 megahertz, at least 90 percent of such radio frequency electromagnetic radiation penetrates to the lumen of the device; and the concentration of the radio frequency electromagnetic radiation that penetrates to the lumen of the device is substantially identical at different points within such interior. The **coating** is comprised of magnetic material with an average particle size of less than about 40 nanometers.

L5 ANSWER 13 OF 31 USPATFULL on STN
ACCESSION NUMBER: 2005:209978 USPATFULL
TITLE: Polymer compositions and methods for their use
INVENTOR(S): Hunter, William L., Vancouver, CANADA
 Toleikis, Philip M., Vancouver, CANADA
 Gravett, David M., Vancouver, CANADA
 Maiti, Arpita, Vancouver, CANADA
 Liggins, Richard T., Coquitlam, CANADA
 Takacs-Cox, Aniko, North Vancouver, CANADA
 Avelar, Rui, Vancouver, CANADA
 Loss, Troy A. E., North Vancouver, CANADA
PATENT ASSIGNEE(S): Angiotech International AG, Zug, SWITZERLAND, 6304
(non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005182463	A1	20050818
APPLICATION INFO.:	US 2004-1788	A1	20041202 (11)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 2004-996354, filed on 22 Nov 2004, PENDING Continuation-in-part of Ser. No. US 2004-986231, filed on 10 Nov 2004, PENDING		

	NUMBER	DATE
PRIORITY INFORMATION:	US 2004-611077P	20040917 (60)
	US 2004-586861P	20040709 (60)
	US 2004-566569P	20040428 (60)
	US 2003-526541P	20031203 (60)

US 2003-525226P 20031124 (60)
US 2003-523908P 20031120 (60)

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: SEED INTELLECTUAL PROPERTY LAW GROUP PLLC, 701 FIFTH AVENUE, SUITE 6300, SEATTLE, WA, 98104-7092, US
NUMBER OF CLAIMS: 125
EXEMPLARY CLAIM: 1-8059
NUMBER OF DRAWINGS: 32 Drawing Page(s)
LINE COUNT: 34070
AB Compositions comprising anti-fibrotic agent(s) and/or polymeric compositions can be used in various medical applications including the prevention of surgical adhesions, treatment of inflammatory arthritis, treatment of scars and keloids, the treatment of vascular disease, and the prevention of cartilage loss.

L5 ANSWER 14 OF 31 USPATFULL on STN
ACCESSION NUMBER: 2005:205930 USPATFULL
TITLE: Polymer compositions and methods for their use
INVENTOR(S): Hunter, William L., Vancouver, CANADA
 Toleikis, Philip M., Vancouver, CANADA
 Gravett, David M., Vancouver, CANADA
 Maiti, Arpita, Vancouver, CANADA
 Liggins, Richard T., Coquitlam, CANADA
 Takacs-Cox, Aniko, North Vancouver, CANADA
 Avelar, Rui, Vancouver, CANADA
 Loss, Troy A. E., North Vancouver, CANADA
PATENT ASSIGNEE(S): Angiotech International AG, Zug, SWITZERLAND (non-U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005178396	A1	20050818
APPLICATION INFO.:	US 2004-6905	A1	20041207 (11)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 2004-996354, filed on 22 Nov 2004, PENDING Continuation-in-part of Ser. No. US 2004-986231, filed on 10 Nov 2004, PENDING		

	NUMBER	DATE
PRIORITY INFORMATION:	US 2004-611077P	20040917 (60)
	US 2004-586861P	20040709 (60)
	US 2004-566569P	20040428 (60)
	US 2003-526541P	20031203 (60)
	US 2003-525226P	20031124 (60)
	US 2003-523908P	20031120 (60)

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: SEED INTELLECTUAL PROPERTY LAW GROUP PLLC, 701 FIFTH AVENUE, SUITE 6300, SEATTLE, WA, 98104-7092, US
NUMBER OF CLAIMS: 50
EXEMPLARY CLAIM: 1-8063
NUMBER OF DRAWINGS: 32 Drawing Page(s)
LINE COUNT: 33965
AB Compositions comprising anti-fibrotic agent(s) and/or polymeric compositions can be used in various medical applications including the prevention of surgical adhesions, treatment of inflammatory arthritis, treatment of scars and keloids, the treatment of vascular disease, and the prevention of cartilage loss.

L5 ANSWER 15 OF 31 USPATFULL on STN

ACCESSION NUMBER: 2005:205929 USPATFULL
TITLE: Polymer compositions and methods for their use
INVENTOR(S): Hunter, William L., Vancouver, CANADA
 Toleikis, Philip M., Vancouver, CANADA
 Gravett, David M., Vancouver, CANADA
 Maiti, Arpita, Vancouver, CANADA
 Liggins, Richard T., Coquitlam, CANADA
 Takacs-Cox, Aniko, North Vancouver, CANADA
 Avelar, Rui, Vancouver, CANADA
 Loss, Troy A. E., North Vancouver, CANADA
PATENT ASSIGNEE(S): Angiotech International AG, Zug, SWITZERLAND (non-U.S.
corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005178395	A1	20050818
APPLICATION INFO.:	US 2004-6900	A1	20041207 (11)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 2004-996354, filed on 22 Nov 2004, PENDING Continuation-in-part of Ser. No. US 2004-986231, filed on 10 Nov 2004, PENDING		

	NUMBER	DATE
PRIORITY INFORMATION:	US 2004-611077P	20040917 (60)
	US 2004-586861P	20040709 (60)
	US 2004-566569P	20040428 (60)
	US 2003-526541P	20031203 (60)
	US 2003-525226P	20031124 (60)
	US 2003-523908P	20031120 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	SEED INTELLECTUAL PROPERTY LAW GROUP PLLC, 701 FIFTH AVENUE, SUITE 6300, SEATTLE, WA, 98104-7092, US	
NUMBER OF CLAIMS:	58	
EXEMPLARY CLAIM:	1-7302	
NUMBER OF DRAWINGS:	32 Drawing Page(s)	
LINE COUNT:	34043	
AB	Compositions comprising anti-fibrotic agent(s) and/or polymeric compositions can be used in various medical applications including the prevention of surgical adhesions, treatment of inflammatory arthritis, treatment of scars and keloids, the treatment of vascular disease, and the prevention of cartilage loss.	

L5 ANSWER 16 OF 31 USPATFULL on STN
ACCESSION NUMBER: 2005:202285 USPATFULL
TITLE: Polymer compositions and methods for their use
INVENTOR(S): Hunter, William L., Vancouver, CANADA
 Toleikis, Philip M., Vancouver, CANADA
 Gravett, David M., Vancouver, CANADA
 Maiti, Arpita, Vancouver, CANADA
 Liggins, Richard T., Coquitlam, CANADA
 Takacs-Cox, Aniko, North Vancouver, CANADA
 Avelar, Rui, Vancouver, CANADA
 Loss, Troy A.E., North Vancouver, CANADA
PATENT ASSIGNEE(S): Angiotech International AG, Zug, SWITZERLAND (non-U.S.
corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005175703	A1	20050811
APPLICATION INFO.:	US 2004-6888	A1	20041207 (11)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 2004-996354, filed on 22		

Nov 2004, PENDING Continuation-in-part of Ser. No. US
2004-986231, filed on 10 Nov 2004, PENDING

	NUMBER	DATE	
PRIORITY INFORMATION:	US 2004-611077P US 2004-586861P US 2004-566569P US 2003-526541P US 2003-525226P US 2003-523908P	20040917 (60) 20040709 (60) 20040428 (60) 20031203 (60) 20031124 (60) 20031120 (60)	
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	APPLICATION		
LEGAL REPRESENTATIVE:	SEED INTELLECTUAL PROPERTY LAW GROUP PLLC, 701 FIFTH AVENUE, SUITE 6300, SEATTLE, WA, 98104-7092, US		
NUMBER OF CLAIMS:	55		
EXEMPLARY CLAIM:	1-7576		
NUMBER OF DRAWINGS:	32 Drawing Page(s)		
LINE COUNT:	33992		
CAS INDEXING IS AVAILABLE FOR THIS PATENT.			
AB	Compositions comprising anti-fibrotic agent(s) and/or polymeric compositions can be used in various medical applications including the prevention of surgical adhesions, treatment of inflammatory arthritis, treatment of scars and keloids, the treatment of vascular disease, and the prevention of cartilage loss.		
CAS INDEXING IS AVAILABLE FOR THIS PATENT.			
L5	ANSWER 17 OF 31 USPATFULL on STN		
ACCESSION NUMBER:	2005:202247 USPATFULL		
TITLE:	Polymer compositions and methods for their use		
INVENTOR(S):	Hunter, William L., Vancouver, CANADA Toleikis, Philip M., Vancouver, CANADA Gravett, David M., Vancouver, CANADA Maiti, Arpita, Vancouver, CANADA Liggins, Richard T., Coquitlam, CANADA Takacs-Cox, Aniko, North Vancouver, CANADA Avelar, Rui, Vancouver, CANADA Loss, Troy A. E., North Vancouver, CANADA		
PATENT ASSIGNEE(S):	Angiotech International AG, Zug, SWITZERLAND (non-U.S. corporation)		
	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005175665	A1	20050811
APPLICATION INFO.:	US 2004-6896	A1	20041207 (11)
RELATED APPLN. INFO.:	Continuation of Ser. No. US 2004-996354, filed on 22 Nov 2004, PENDING Continuation-in-part of Ser. No. US 2004-986231, filed on 10 Nov 2004, PENDING		
	NUMBER	DATE	
PRIORITY INFORMATION:	US 2004-611077P US 2004-586861P US 2004-566569P US 2003-526541P US 2003-525226P US 2003-523908P	20040917 (60) 20040709 (60) 20040428 (60) 20031203 (60) 20031124 (60) 20031120 (60)	
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	APPLICATION		
LEGAL REPRESENTATIVE:	SEED INTELLECTUAL PROPERTY LAW GROUP PLLC, 701 FIFTH AVENUE, SUITE 6300, SEATTLE, WA, 98104-7092, US		
NUMBER OF CLAIMS:	51		

EXEMPLARY CLAIM: 1-7822
NUMBER OF DRAWINGS: 32 Drawing Page(s)
LINE COUNT: 33978

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Compositions comprising anti-fibrotic agent(s) and/or polymeric compositions can be used in various medical applications including the prevention of surgical adhesions, treatment of inflammatory arthritis, treatment of scars and keloids, the treatment of vascular disease, and the prevention of cartilage loss.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 18 OF 31 USPATFULL on STN
ACCESSION NUMBER: 2005:190551 USPATFULL
TITLE: Implantable medical device
INVENTOR(S): Wang, Xingwu, Wellsville, NY, UNITED STATES
Greenwald, Howard J., Rochester, NY, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005165471	A1	20050728
APPLICATION INFO.:	US 2004-950148	A1	20040924 (10)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 2004-923579, filed on 20 Aug 2004, PENDING Continuation-in-part of Ser. No. US 2004-914691, filed on 9 Aug 2004, PENDING Continuation-in-part of Ser. No. US 2004-887521, filed on 7 Jul 2004, PENDING Continuation-in-part of Ser. No. US 2004-867517, filed on 14 Jun 2004, PENDING Continuation-in-part of Ser. No. US 2004-810916, filed on 26 Mar 2004, GRANTED, Pat. No. US 6846985 Continuation-in-part of Ser. No. US 2004-808618, filed on 24 Mar 2004, PENDING Continuation-in-part of Ser. No. US 2004-786198, filed on 25 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2004-780045, filed on 17 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2003-747472, filed on 29 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-744543, filed on 22 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-442420, filed on 21 May 2003, PENDING Continuation-in-part of Ser. No. US 2003-409505, filed on 8 Apr 2003, GRANTED, Pat. No. US 6815609		
DOCUMENT TYPE:	Utility		
FILE SEGMENT:	APPLICATION		
LEGAL REPRESENTATIVE:	HOWARD J. GREENWALD P.C., 349 W. COMMERCIAL STREET SUITE 2490, EAST ROCHESTER, NY, 14445-2408, US		
NUMBER OF CLAIMS:	35		
EXEMPLARY CLAIM:	1		
NUMBER OF DRAWINGS:	19 Drawing Page(s)		
LINE COUNT:	5434		
AB	A metallic stent that, when it is contacted with an input alternating current electromagnetic field and a static magnetic field that contacts biological matter located within the stent , an output signal is produced that has a fixed phase relationship with the input signal and that has a magnitude that is at least about 0.01 times as great as the magnitude of the input signal.		

L5 ANSWER 19 OF 31 USPATFULL on STN
ACCESSION NUMBER: 2005:180401 USPATFULL
TITLE: Coated substrate assembly
INVENTOR(S): Wang, Xingwu, Wellsville, NY, UNITED STATES
Greenwald, Howard J., Rochester, NY, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005155779	A1	20050721
APPLICATION INFO.:	US 2005-67325	A1	20050225 (11)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 2004-887521, filed on 7 Jul 2004, PENDING Continuation-in-part of Ser. No. US 2004-867517, filed on 14 Jun 2004, PENDING Continuation-in-part of Ser. No. US 2004-810916, filed on 26 Mar 2004, GRANTED, Pat. No. US 6846985 Continuation-in-part of Ser. No. US 2004-808618, filed on 24 Mar 2004, PENDING Continuation-in-part of Ser. No. US 2004-786198, filed on 25 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2004-780045, filed on 17 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2003-747472, filed on 29 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-744543, filed on 22 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-442420, filed on 21 May 2003, PENDING Continuation-in-part of Ser. No. US 2003-409505, filed on 8 Apr 2003, GRANTED, Pat. No. US 6815609		

DOCUMENT TYPE:

Utility

FILE SEGMENT:

APPLICATION

LEGAL REPRESENTATIVE:

HOWARD J. GREENWALD P.C., 349 W. COMMERCIAL STREET
SUITE 2490, EAST ROCHESTER, NY, 14445-2408, US

NUMBER OF CLAIMS:

78

EXEMPLARY CLAIM:

1

NUMBER OF DRAWINGS:

50 Drawing Page(s)

LINE COUNT:

5856

AB A **coated** assembly comprised of a **coating** that has a relative magnetic permeability of at least 1.1 over the range of frequencies of from about 10 megahertz to about 200 megahertz, an increase of such relative magnetic permeability over such range of from about 1+10.sup.-14 to about 1+10.sup.-6 per hertz, and a magnetization, when measured at a direct current magnetic field of 2 Tesla, of from about 0.1 to about 10 electromagnetic units per cubic centimeter.

L5 ANSWER 20 OF 31 USPATFULL on STN

ACCESSION NUMBER: 2005:172420 USPATFULL

TITLE: Implantable medical device

INVENTOR(S): Wang, Xingwu, Wellsville, NY, UNITED STATES
Greenwald, Howard J., Rochester, NY, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005149169	A1	20050707
APPLICATION INFO.:	US 2004-974412	A1	20041027 (10)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 2004-950148, filed on 24 Sep 2004, PENDING Continuation-in-part of Ser. No. US 2004-923579, filed on 20 Aug 2004, PENDING Continuation-in-part of Ser. No. US 2004-914691, filed on 9 Aug 2004, PENDING Continuation-in-part of Ser. No. US 2004-887521, filed on 7 Jul 2004, PENDING Continuation-in-part of Ser. No. US 2004-867517, filed on 14 Jun 2004, PENDING Continuation-in-part of Ser. No. US 2004-810916, filed on 26 Mar 2004, GRANTED, Pat. No. US 6846985 Continuation-in-part of Ser. No. US 2004-808618, filed on 24 Mar 2004, PENDING Continuation-in-part of Ser. No. US 2004-786198, filed on 25 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2004-780045, filed on 17 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2003-747472, filed		

on 29 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-744543, filed on 22 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-442420, filed on 21 May 2003, PENDING Continuation-in-part of Ser. No. US 2003-409505, filed on 8 Apr 2003, GRANTED, Pat. No. US 6815609

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: HOWARD J. GREENWALD P.C., 349 W. COMMERCIAL STREET SUITE 2490, EAST ROCHESTER, NY, 14445-2408, US
NUMBER OF CLAIMS: 59
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 26 Drawing Page(s)
LINE COUNT: 6156

AB An implantable medical device assembly that contains magnetic material with a saturation magnetization of at least about 0.15 Tesla and which has a direct current permeability at a static magnetic field value of 1.5 Tesla of at least 1.1. When the magnetic material and is simultaneously subjected to an alternating current electromagnetic field with a frequency of 64 megahertz and a static magnetic field of 1.5 Tesla, it has a magnetization of less than 100 electromagnetic units per cubic centimeter.

L5 ANSWER 21 OF 31 USPATFULL on STN
ACCESSION NUMBER: 2005:172253 USPATFULL
TITLE: Markers for visualizing interventional medical devices
INVENTOR(S) : Wang, Xingwu, Wellsville, NY, UNITED STATES
Shellock, Frank G., Los Angeles, CA, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005149002	A1	20050707
APPLICATION INFO.:	US 2004-999185	A1	20041129 (10)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 2004-974412, filed on 27 Oct 2004, PENDING Continuation-in-part of Ser. No. US 2004-950148, filed on 24 Sep 2004, PENDING Continuation-in-part of Ser. No. US 2004-923579, filed on 20 Aug 2004, PENDING Continuation-in-part of Ser. No. US 2004-914691, filed on 9 Aug 2004, PENDING Continuation-in-part of Ser. No. US 2004-887521, filed on 7 Jul 2004, PENDING Continuation-in-part of Ser. No. US 2004-867517, filed on 14 Jun 2004, PENDING Continuation-in-part of Ser. No. US 2004-810916, filed on 26 Mar 2004, GRANTED, Pat. No. US 6846985 Continuation-in-part of Ser. No. US 2004-808618, filed on 24 Mar 2004, PENDING Continuation-in-part of Ser. No. US 2004-786198, filed on 25 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2004-780045, filed on 17 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2003-747472, filed on 29 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-744543, filed on 22 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-442420, filed on 21 May 2003, PENDING Continuation-in-part of Ser. No. US 2003-409505, filed on 8 Apr 2003, GRANTED, Pat. No. US 6815609		

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: HOWARD J. GREENWALD P.C., 349 W. COMMERCIAL STREET SUITE 2490, EAST ROCHESTER, NY, 14445-2408, US
NUMBER OF CLAIMS: 75
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 27 Drawing Page(s)

LINE COUNT: 6317

AB A marking material that, when disposed upon medical devices used during interventional medical procedures with imaging modalities such as X-ray Fluoroscopy and Magnetic Resonance Imaging, renders such medical devices visible with minimal imaging artifacts. The material comprises a particulate material with generally higher atomic weight disposed within a matrix material with generally lower atomic weight. In one embodiment the particulate material is magnetic. In another embodiment the particulate material is non-magnetic.

L5 ANSWER 22 OF 31 USPATFULL on STN

ACCESSION NUMBER: 2005:139071 USPATFULL

TITLE: Energetically controlled delivery of biologically active material from an implanted medical device

INVENTOR(S): Wang, Xingwu, Wellsville, NY, UNITED STATES
Greenwald, Howard J., Rochester, NY, UNITED STATES

NUMBER KIND DATE

PATENT INFORMATION: US 2005119725 A1 20050602

APPLICATION INFO.: US 2004-941736 A1 20040915 (10)

RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 2004-923579, filed on 20 Aug 2004, PENDING Continuation-in-part of Ser. No. US 2004-914691, filed on 9 Aug 2004, PENDING Continuation-in-part of Ser. No. US 2004-887521, filed on 7 Jul 2004, PENDING Continuation-in-part of Ser. No. US 2004-867517, filed on 14 Jun 2004, PENDING Continuation-in-part of Ser. No. US 2004-810916, filed on 26 Mar 2004, GRANTED, Pat. No. US 6846985 Continuation-in-part of Ser. No. US 2004-808618, filed on 24 Mar 2004, PENDING Continuation-in-part of Ser. No. US 2004-786198, filed on 25 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2004-780045, filed on 17 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2003-747472, filed on 29 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-744543, filed on 22 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-442420, filed on 21 May 2003, PENDING Continuation-in-part of Ser. No. US 2003-409505, filed on 8 Apr 2003, GRANTED, Pat. No. US 6815609

DOCUMENT TYPE: Utility

FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: HOWARD J. GREENWALD P.C., 349 W. COMMERCIAL STREET
SUITE 2490, EAST ROCHESTER, NY, 14445-2408, US

NUMBER OF CLAIMS: 43

EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 14 Drawing Page(s)

LINE COUNT: 4855

AB An implantable medical assembly that contains a substrate, and nanomagnetic material and a therapeutic agent located over the substrate. A barrier is located between the therapeutic agent and biological material. When the assembly is exposed to electromagnetic radiation, the barrier between the biological material and the therapeutic agent is removed.

L5 ANSWER 23 OF 31 USPATFULL on STN

ACCESSION NUMBER: 2005:125479 USPATFULL

TITLE: Medical device with multiple **coating** layers

INVENTOR(S): Wang, Xingwu, Wellsville, NY, UNITED STATES
Greenwald, Howard J., Rochester, NY, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005107870	A1	20050519
APPLICATION INFO.:	US 2004-923579	A1	20040820 (10)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 2004-914691, filed on 9 Aug 2004, PENDING Continuation-in-part of Ser. No. US 2004-887521, filed on 7 Jul 2004, PENDING Continuation-in-part of Ser. No. US 2004-867517, filed on 14 Jun 2004, PENDING Continuation-in-part of Ser. No. US 2004-810916, filed on 26 Mar 2004, GRANTED, Pat. No. US 6846985 Continuation-in-part of Ser. No. US 2004-808618, filed on 24 Mar 2004, PENDING Continuation-in-part of Ser. No. US 2004-786198, filed on 25 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2004-780045, filed on 17 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2003-747472, filed on 29 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-744543, filed on 22 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-442420, filed on 21 May 2003, PENDING Continuation-in-part of Ser. No. US 2003-409505, filed on 8 Apr 2003, GRANTED, Pat. No. US 6815609		

DOCUMENT TYPE:

Utility

FILE SEGMENT:

APPLICATION

LEGAL REPRESENTATIVE:

HOWARD J. GREENWALD P.C., 349 W. COMMERCIAL STREET SUITE 2490, EAST ROCHESTER, NY, 14445-2408, US

NUMBER OF CLAIMS:

62

EXEMPLARY CLAIM:

1

NUMBER OF DRAWINGS:

54 Drawing Page(s)

LINE COUNT:

18628

AB An implantable medical device that contains two **coating** layers disposed above at least one of its surfaces. The first **coating** layer contains a biologically active material; and the second **coating** layer contains a polymeric material and nanomagnetic material disposed on the first **coating** layer; the second **coating** layer is substantially free of the biologically active material. The nanomagnetic material has a saturation magnetization of from about 2 to about 3000 electromagnetic units per cubic centimeter, and it contains nanomagnetic particles with an average particle size of less than about 100 nanometers; the average coherence length between adjacent nanomagnetic particles is less than 100 nanometers.

L5 ANSWER 24 OF 31 USPATFULL on STN

ACCESSION NUMBER: 2005:117278 USPATFULL

TITLE: Multivalent carriers of bi-specific antibodies

INVENTOR(S): Hansen, Hans J., Picayune, MS, UNITED STATES

McBride, William J., Boonton, NJ, UNITED STATES

Qu, Zhengxing, Warren, NJ, UNITED STATES

PATENT ASSIGNEE(S): Immunomedics, Inc., Morris Plains, NJ, UNITED STATES
(U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005100543	A1	20050512
APPLICATION INFO.:	US 2004-882151	A1	20040701 (10)

	NUMBER	DATE
PRIORITY INFORMATION:	US 2003-483832P	20030701 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	HELLER EHRMAN WHITE & MCAULIFFE LLP, 1717 RHODE ISLAND	

AVE, NW, WASHINGTON, DC, 20036-3001, US
NUMBER OF CLAIMS: 35
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 9 Drawing Page(s)
LINE COUNT: 5871
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
AB Provided herein are targetable constructs that are multivalent carriers of bi-specific antibodies, i.e., each molecule of a targetable construct can serve as a carrier of two or more bi-specific antibodies. Also provided are targetable complexes formed by the association of a targetable construct with two or more bi-specific antibodies. The targetable constructs and targetable complexes of the invention are incorporated into biosensors, kits and pharmaceutical compositions, and are used in a variety of therapeutic and other methods.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 25 OF 31 USPATFULL on STN
ACCESSION NUMBER: 2005:92457 USPATFULL
TITLE: Medical device with low magnetic susceptibility
INVENTOR(S) : Wang, Xingwu, Wellsville, NY, UNITED STATES
Greenwald, Howard J., Rochester, NY, UNITED STATES
Gunderman, Robert D., Honeyoye Falls, NY, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005079132	A1	20050414
APPLICATION INFO.:	US 2004-914691	A1	20040809 (10)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 2004-887521, filed on 7 Jul 2004, PENDING Continuation-in-part of Ser. No. US 2004-867517, filed on 14 Jun 2004, PENDING Continuation-in-part of Ser. No. US 2004-810916, filed on 26 Mar 2004, GRANTED, Pat. No. US 6846985 Continuation-in-part of Ser. No. US 2004-808618, filed on 24 Mar 2004, PENDING Continuation-in-part of Ser. No. US 2004-786198, filed on 25 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2004-780045, filed on 17 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2003-747472, filed on 29 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-744543, filed on 22 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-442420, filed on 21 May 2003, PENDING Continuation-in-part of Ser. No. US 2003-409505, filed on 8 Apr 2003, GRANTED, Pat. No. US 6815609		

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: HOWARD J. GREENWALD P.C., 349 W. COMMERCIAL STREET
SUITE 2490, EAST ROCHESTER, NY, 14445-2408, US

NUMBER OF CLAIMS: 127
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 52 Drawing Page(s)
LINE COUNT: 17912

AB An assembly with a substrate, nanomagnetic material and magnetoresistive material. The nanomagnetic material has a saturation magnetization of from about 2 to about 3000 electromagnetic units per cubic centimeter; and it contains nanomagnetic particles with an average particle size of less than about 100 nanometers. The average coherence length between adjacent nanomagnetic particles is less than 100 nanometers.

L5 ANSWER 26 OF 31 USPATFULL on STN
ACCESSION NUMBER: 2005:30367 USPATFULL
TITLE: Medical device with low magnetic susceptibility

INVENTOR(S) : Wang, Xingwu, Wellsville, NY, UNITED STATES
Greenwald, Howard Jay, Rochester, NY, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2005025797	A1	20050203
APPLICATION INFO.:	US 2004-887521	A1	20040707 (10)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 2004-867517, filed on 14 Jun 2004, PENDING Continuation-in-part of Ser. No. US 2004-810916, filed on 26 Mar 2004, PENDING Continuation-in-part of Ser. No. US 2004-808618, filed on 24 Mar 2004, PENDING Continuation-in-part of Ser. No. US 2004-786198, filed on 25 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2004-780045, filed on 17 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2003-747472, filed on 29 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-744543, filed on 22 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-442420, filed on 21 May 2003, PENDING Continuation-in-part of Ser. No. US 2003-409505, filed on 8 Apr 2003, GRANTED, Pat. No. US 6815609		

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: HOWARD J. GREENWALD P.C., 349 W. COMMERCIAL STREET SUITE 2490, EAST ROCHESTER, NY, 14445-2408
NUMBER OF CLAIMS: 137
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 42 Drawing Page(s)
LINE COUNT: 17461
AB An assembly that contains a medical device and biological material within which the medical device is disposed. The assembly has a magnetic susceptibility within the range of plus or minus 1+10.sup.-3 centimeter-gram-seconds

L5 ANSWER 27 OF 31 USPATFULL on STN
ACCESSION NUMBER: 2004:321764 USPATFULL
TITLE: Therapeutic assembly
INVENTOR(S) : Wang, Xingwu, Wellsville, NY, UNITED STATES
Greenwald, Howard J., Rochester, NY, UNITED STATES
Lanzafame, John, Victor, NY, UNITED STATES
Weiner, Michael L., Webster, NY, UNITED STATES
Connelly, Patrick R., Rochester, NY, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2004254419	A1	20041216
APPLICATION INFO.:	US 2004-867517	A1	20040614 (10)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 2004-810916, filed on 26 Mar 2004, PENDING Continuation-in-part of Ser. No. US 2004-808618, filed on 24 Mar 2004, PENDING Continuation-in-part of Ser. No. US 2004-786198, filed on 25 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2004-780045, filed on 17 Feb 2004, PENDING Continuation-in-part of Ser. No. US 2003-747472, filed on 29 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-744543, filed on 22 Dec 2003, PENDING Continuation-in-part of Ser. No. US 2003-409505, filed on 8 Apr 2003, PENDING Continuation-in-part of Ser. No. US 2003-442420, filed on 21 May 2003, PENDING		

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: HOWARD J. GREENWALD P.C., 349 W. COMMERCIAL STREET

SUITE 2490, EAST ROCHESTER, NY, 14445-2408
NUMBER OF CLAIMS: 175
EXEMPLARY CLAIM: CLM-1-177
NUMBER OF DRAWINGS: 40 Drawing Page(s)
LINE COUNT: 16208
AB A therapeutic assembly that contains a therapeutic agent, a cytotoxic radioactive material, and a nanomagnetic material with nanomagnetic particles. The nanomagnetic particles have an average particle size of less than about 100 nanometers; and the average coherence length between adjacent nanomagnetic particles is less than 100 nanometers. The nanomagnetic material has a saturation magnetization of from about 2 to about 3000 electromagnetic units per cubic centimeter, a phase transition temperature of from about 40 to about 200 degrees Celsius, and a saturation magnetization of from about 2 to about 3,000 electromagnetic units per cubic centimeter

L5 ANSWER 28 OF 31 USPATFULL on STN
ACCESSION NUMBER: 2004:268745 USPATFULL
TITLE: Novel nanomagnetic particles
INVENTOR(S): Wang, Xingwu, Wellsville, NY, UNITED STATES
Greenwald, Howard J., Rochester, NY, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2004210289	A1	20041021
APPLICATION INFO.:	US 2004-808618	A1	20040324 (10)
RELATED APPLN. INFO.:	Continuation-in-part of Ser. No. US 2003-366082, filed on 13 Feb 2003, PENDING Continuation-in-part of Ser. No. US 2002-324773, filed on 18 Dec 2002, PENDING Continuation-in-part of Ser. No. US 2002-90553, filed on 4 Mar 2002, PENDING Continuation-in-part of Ser. No. US 2002-229183, filed on 26 Aug 2002, PENDING Continuation-in-part of Ser. No. US 2002-242969, filed on 13 Sep 2002, PENDING Continuation-in-part of Ser. No. US 2002-260247, filed on 30 Sep 2002, GRANTED, Pat. No. US 6673999 Continuation-in-part of Ser. No. US 2002-273738, filed on 18 Oct 2002, PENDING Continuation-in-part of Ser. No. US 2002-303264, filed on 25 Nov 2002, GRANTED, Pat. No. US 6713671 Continuation-in-part of Ser. No. US 2002-313847, filed on 7 Dec 2002, PENDING Continuation-in-part of Ser. No. US 2002-303264, filed on 25 Nov 2002, GRANTED, Pat. No. US 6713671		

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION
LEGAL REPRESENTATIVE: HOWARD J. GREENWALD P.C., 349 W. COMMERCIAL STREET
SUITE 2490, EAST ROCHESTER, NY, 14445-2408

NUMBER OF CLAIMS: 98
EXEMPLARY CLAIM: 1
NUMBER OF DRAWINGS: 51 Drawing Page(s)
LINE COUNT: 11684

AB A composition containing nanomagnetic particles. The, nanomagnetic particles have an average particle size of less than about 100 nanometers, a saturation magnetization of from about 2 to about 2,000 electromagnetic units per cubic centimeter, a phase transition temperature of from about 40 to about 200 degrees Celsius, and a squareness of from about 0.05 to about 1.0; the average coherence length between adjacent nanomagnetic particles is less than about 100 nanometers; and the nanomagnetic particles are at least triatomic.

L5 ANSWER 29 OF 31 USPATFULL on STN

ACCESSION NUMBER: 2004:144772 USPATFULL
 TITLE: Native protein mimetic fibers, fiber networks and fabrics for medical use
 INVENTOR(S): Chaikof, Elliot L, Atlanta, GA, UNITED STATES
 Conticello, Vincent, Atlanta, GA, UNITED STATES
 Huang, Lei, Duluth, GA, UNITED STATES
 Nagapudi, Karthik, Atlanta, GA, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2004110439	A1	20040610
APPLICATION INFO.:	US 2003-258207	A1	20030221 (10)
	WO 2001-US12918		20010420

DOCUMENT TYPE: Utility
 FILE SEGMENT: APPLICATION
 LEGAL REPRESENTATIVE: Greenlee Winner and Sullivan, Suite 201, 5370 Manhattan Circle, Boulder, CO, 80303
 NUMBER OF CLAIMS: 20
 EXEMPLARY CLAIM: 1
 NUMBER OF DRAWINGS: 29 Drawing Page(s)
 LINE COUNT: 1951
 CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present disclosure provides spun fibers of proteins useful for the fibers, fiber networks and nonwoven fabrics for medical use, with these materials characterized by good biocompatibility properties (e.g., low tendency toward thromboses and inflammation when implanted into a human or animal). These materials can be fabricated from gelatin, collagen or elastin-mimetic proteins, functionalized proteins of the foregoing types, crosslinked functionalized proteins of the foregoing types, and there may be incorporated nonproteinaceous polymers and/or therapeutic proteins or other medicinal compounds. Additionally, there may be living cells colonized on the material of the present invention or living cells may be incorporated during the fabrication process. These materials can be used in medical applications including, without limitation, vascular grafts, reinforcement of injured tissue, wound healing, artificial organs and tissues, prosthetic heart valves and prosthetic ureters.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 30 OF 31 USPATFULL on STN
 ACCESSION NUMBER: 2003:289232 USPATFULL
 TITLE: Coating composition for multiple hydrophilic applications
 INVENTOR(S): Schottman, Thomas C., Flemington, NJ, UNITED STATES
 Hennessey, Patrick M., Fords, NJ, UNITED STATES
 Gruening, Rainer, Basking Ridge, NJ, UNITED STATES
 PATENT ASSIGNEE(S): Hydromer, Inc. (U.S. corporation)

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2003203991	A1	20031030
APPLICATION INFO.:	US 2002-260823	A1	20020927 (10)

	NUMBER	DATE
PRIORITY INFORMATION:	US 2002-376983P	20020430 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	HOFFMANN & BARON, LLP, 6900 JERICHO TURNPIKE, SYOSSET, NY, 11791	
NUMBER OF CLAIMS:	120	
EXEMPLARY CLAIM:	1	
LINE COUNT:	2877	

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A **coating** composition is disclosed which comprises an aqueous polymeric matrix, a hydrophilic polymer, a colloidal **metal** oxide and a crosslinker. The **coating** composition when applied on medical devices is hydrophilic, shows improved lubricity, abrasion resistance and substrate adhesion on **metallic** or plastic substrates. The **coating** also shows improved water sheeting thus providing the **coated** substrates with anti-fog properties. The **coating** absorbs aqueous dye or stain solutions making the substrate suitable for printing.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L5 ANSWER 31 OF 31 USPATFULL on STN

ACCESSION NUMBER: 2002:157930 USPATFULL

TITLE: Microneedle devices and production thereof

INVENTOR(S): Park, Jung-Hwan, Atlanta, GA, UNITED STATES
Prausnitz, Mark R., Decatur, GA, UNITED STATES

	NUMBER	KIND	DATE
PATENT INFORMATION:	US 2002082543	A1	20020627
APPLICATION INFO.:	US 2001-23259	A1	20011214 (10)

	NUMBER	DATE
PRIORITY INFORMATION:	US 2000-255603P	20001214 (60)
DOCUMENT TYPE:	Utility	
FILE SEGMENT:	APPLICATION	
LEGAL REPRESENTATIVE:	SUTHERLAND ASBILL & BRENNAN LLP, 999 PEACHTREE STREET, N.E., ATLANTA, GA, 30309	
NUMBER OF CLAIMS:	54	
EXEMPLARY CLAIM:	1	
NUMBER OF DRAWINGS:	12 Drawing Page(s)	
LINE COUNT:	1592	

AB Microneedle devices and methods of manufacture are provided for transport of molecules or energy across or into biological barriers, such as skin. The device can comprise one or more microneedles formed of a first material and a second material, wherein the second material is dispersed throughout the first material or forms a portion of the microneedle. The first material preferably is a polymer. The second material can be pore forming agents, structural components, biosensor, or molecules for release, such as drug. The device also can comprise a substrate and a plurality of microneedles extending from the substrate, wherein the microneedles have a beveled or tapered tip portion, a longitudinally extending exterior channel, or both. Methods of making these devices include providing a mold having a plurality of microdepressions which define the surface of a microneedle; filling the microdepressions with a first molding material; and molding the material, thereby forming microneedles.